

INDEX MAPS.

T.15N, R. 6E. 2nd Mer.

	289	288	288	287	287	287						
291	6	312	5	308	4	304	3	299	2	295	1	286
	314	312	307	303	299	294						
290	7	311	8	307	9	303	10	298	11	294	12	286
	314	311	307	302	298	294						
290	18	311	17	306	16	302	15	298	14	293	13	286
	313	310	306	302	297	293						
290	19	310	20	306	21	301	22	297	23	293	24	285
	313	309	305	301	296	292						
289	30	309	29	305	28	300	27	296	26	292	25	285
	313	309	304	300	296	291						
289	31	308	32	304	33	300	34	295	35	291	36	285
	284	284	284	283	283	283						

T.16N, R. 6E. 2nd Mer.

323	6	349	5	342	4	338	3	333	2	328	1	320
	349	348	342	337	333	327						
322	7	348	8	341	9	337	10	332	11	327	12	320
	347	347	341	336	332	326						
322	18	346	17	340	16	336	15	331	14	326	13	320
	346	345	340	336	331	325						
322	19	345	20	340	21	335	22	330	23	325	24	319
	345	344	339	335	330	325						
321	30	344	29	339	28	334	27	329	26	324	25	319
	343	343	338	334	329	324						
321	31	342	32	338	33	333	34	329	35	323	36	319
	318	318	318	317	317	317						

The figures on the lines refer to the page.

Township Lines.

South Boundary. Var. 6° 36' E.

West on the S. Boundary of Sec. 36

- 7.89 a W. Oak 50 in. dia.
- 40.00 set g. sec. post from which
a Beech 18 in. dia. bears N 77° E 24 lbs. dist. 18
a Buckeye 6 " " " S 6° W 19 " "
- 73.24 a Beech 16 " "
- 80.00 set post cor. of sec. 35 & 36 from which
a Beech 7 in. dia. bears N 28° W 31 lbs. dist. 18
a Spruce 15 " " " S 12° E 16 " "
- Good farming land, timber Beech, Sugar, W. Oak,
Ch. Wp. Spruce & Pawpaw

West on the S. Boundary of Sec. 35

- 1.08 a Hickory 22 in. dia.
- 14.45 a Beech 28 " "
- 40.00 set g. sec. post from which
a W. Ash 33 in. dia. bears N 56° W 14 lbs. dist. 18
an Elm 15 " " " S 6° E 27 " "
- 80.00 set post cor. of sec. 34 & 35 from which
a Beech 8 in. dia. bears N 3° W 6 lbs. dist. 18
a Buckeye 8 " " " S 57° W 4 " "
- Good farming land, timber as last noted

West on the S. Boundary of Sec. 34

- 21.77 a Beech 10 in. dia.
- 40.00 set g. sec. post from which
a W. Ash 36 in. dia. bears N 56° E 5 lbs. dist. 18
a Hickory 18 " " " S 22° E 7 " "
- 49.59 a Beech 15 " "
- 63.50 a Creek 100 yds. wide course S W
- 80.00 set post cor. of sec. 33 & 34 from which
a Sugar 5 in. dia. bears N 24° E 23 lbs. dist. 18

T. 16 N., R. 6 E., T. 2 Mer. Ind.^a

a Beech 18 in. diam bears S 54° W 11 lbs. dist.

Rich. rolling land, Beech, Sugar, Elm, Blue & W.
Ash, Buckeye & W. Spruce, Pawpaw &c

West on the S. Boundary of Sec. 33

40.00 Set g. sec. post from which

a Beech 18 in. diam bears N 24° E 20 lbs. dist. &

a Do 14 " " " S 75° W 13 " "

51.74 a W. Oak 50 " "

80.00 Set post cor. of sec. 32 & 33 from which

a Sugar 8 in. diam bears N 34° E 15 lbs. dist. &

a Hickory 21 " " " S 18° E 33 " "

Mostly level wet land, Beech, Ash, Elm, Oak, Hick-
ory, Sugar &c Buckeye &c

West on the S. Boundary of Sec. 32

14.24 a W. Ash 21 in. dia.

40.00 Set g. sec. post from which

a Beech 14 in. diam bears N 86° W 13 lbs. dist. &

a W. Oak 25 " " " S 7° W 17 " "

45.53 a Do 40 " "

80.00 Set post cor. of sec. 31 & 32 from which

a W. Oak 28 in. diam bears N 67° W 23 lbs. dist. &

a W. Ash 10 " " " S 64° E 16 " "

Level wet land, timber as last noted.

West on the S. Boundary of Sec. 31

21.24 a W. Ash 16 in. dia.

40.00 Set g. sec. post from which

a Ash 20 in. diam bears N 55° E 10 lbs. dist. &

a Maple 15 " " " S 66° E 7 " "

48.10 a Sycamore 20 " "

74.55 Intersect W. Boundary at post cor. of T. 15 & 16 N,
R. 5 & 6 E — Low swampy land, Ash,

T. W. N., R. O. E. L. Mer. Ind. a.

Elm, Maple, some Beech &c. July 30. 1819

East Boundary. Var. 6. 30. E.

North on the E. Boundary of Sec. 36

40.00 set g. sec. part from which

a Beech 18 in. dia bears S 38 E 36 lbs. dist. 8

a Do 22 " " " North 21 " "

70.66 a Do 18 " "

80.00 set part cor. of sec. 25 & 36 from which

a Beech 13 in. dia bears S 35 W 8 lbs. dist. 8

a Beech 6 " " " S 52 E 11 " "

Level 2^d into land, timber Beech, W. Ash, White Oak,
Hickory, Elm &c. W. Spruce, Pawpaw, Herbage,
Ravine, Nettles & Balm

North on the E. Boundary of Sec. 25

10.58 an Elm 25 in. dia.

40.00 set g. sec. part from which

a Beech 21 in. dia bears N 36 W 20 lbs. dist. 8

a Hickory 14 " " " N 58 E 45 " "

68.26 a W. Ash 42 " "

80.00 set part cor. of sec. 24 & 25 from which

a Beech 18 in. dia bears S 24 W 17 lbs. dist. 8

a Do 10 " " " N 36 E 32 " "

Level 2^d into land, timber as last noted

North on the E. Boundary of Sec. 24

27.37 a Beech 36 in. dia.

40.00 set g. sec. part from which

a Beech 14 in. dia bears S 67 E 10 lbs. dist. 8

a Beech 9 " " " N 57 W 28 " "

57.00 to an open Marsh 8.00 E. side

65.00 End of the Marsh

80.00 set part cor. of sec. 13 & 24 from which

T. H. N., R. O. E. I. Mer. Ind. a

a Beech 12 in. dia. bears N 61 E 13 lbs. dist. 8
 an Ironwood 7 " " S 10 W 25 " "
 Level land, timber as last noted

North on the E. Boundary of Sec. 13

27.09 a B. Oak 48 in. dia.
 40.00 set g. sec. part from which
 an Elm 48 in. dia. bears N 57 W 25 lbs. dist. 8
 an Ash 12 " " N 77 E 24 " "
 52.78 a W. Oak 20 " "
 80.00 set part cor. of sec. 12 & 13 from which
 a Beech 9 in. dia. bears S 72 W 15 lbs. dist. 8
 a Do 15 " " S 84 E 3 " "
 Timber soil similar to that last noted

North on the E. Boundary of Sec. 12

38.80 an Ash 18 in. dia.
 40.00 set g. sec. part from which
 an Ash 16 in. dia. bears S 44 W 28 lbs. dist. 8
 a Do 18 " " N 54 E 38 " "
 51.00 a Branch 6 lbs. wide course S W
 67.83 a Beech 18 in. dia.
 81.00 set part cor. of sec. 11 & 12 from which
 a Walnut 21 in. dia. bears N 64 W 9 lbs. dist. 8
 a W. Oak 6 " " N 78 E 11 " "
 Level L. rate land, Beech, Elm, Walnut, Buck-
 eye, W. Oak & Upr. Spice, Pawpaw &c.

North on the E. Boundary of Sec. 1

12.50 a Branch 15 lbs. wide course S W
 34.75 a Beech 16 in. dia.
 40.00 set g. sec. part from which
 a Beech 18 in. dia. bears N 21 W 16 lbs. dist. 8
 a Do 7 " " S 49 E 25 " "

T. 16 N., R. 6 E., T. 16 N., R. 6 E.

65.55 a Sugar 48 in. dia.

70.00 a Branch 8 lbs. wide corner SW

75.57 Intersect Correction line & fell 7.92 E. of part
 cr. of sec. 35 & 36, T. 17 N., R. 6 E. & set a post at inter-
 section cr. of T. 16 N., R. 6 & 7 E. from which
 a Beech 8 in. dia. bears S 70° W 25 lbs. dist. 8
 a Do 27 " " " S 74° E 9 " "

Good farming land, Sugar, Beech, Elm &
 July 29, 1819 Friday.

Bearings at cr. of T. 15 & 16 N., R. 6 & 7 E

a Beech 12 in. dia. bears N 68° E 31 lbs. dist. 8

a Do 12 " " " S 47° W 28 " "

West Boundary, Var. 6° 15' E.

Bearings at cr. of T. 15 & 16 N., R. 5 & 6 E

a Ark 9 in. dia. bears N 41° W 2 lbs. dist. 8

a Poplar 20 " " " S 76° W 17

North on the E. Boundary of Sec. 36, T. 16 N., R. 5 E.

31.70 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Maple 20 in. dia. bears N 71° W 31 lbs. dist. 8

a W. Ark 9 " " " S 82° E 13 " "

65.20 a Do 27 " "

80.00 set post cr. of sec. 25 & 36 from which

a Beech 10 in. dia. bears S 22° E 6 lbs. dist. 8

a Do 20 " " " N 71° W 20 " "

Level wet land, Ark, Elm, Maple, Beech, Oak
 & Wgs. Spice &

North on the E. Boundary of Sec. 25, T. 16 N., R. 5 E

18.10 a B. Oak 54 in. dia.

39.00 a Branch 8 lbs. wide corner SE

40.00 set g. sec. post from which

a Beech 7 in. dia. bears S 73° W 15 lbs. dist. 8

T. 16 N., R. 6 E. 2. Mer. Ind.?

a Beech 10 in. diameter N 22 E 25 lbs. dist.
 80.00 set post cor. of sec. 24 & 25 from which
 an Ash 18 in. diameter S 33 W 26 lbs. dist. &
 a Do 22 " " " N 30 E 13 " "
 Good farming land, Beech, Sugar, W. Ash, Elm,
 Walnut & Upr. Spice, Pawpaw &c.

North on the E. Boundary of Sec. 24, T. 16 N., R. 5 E
 18.40 a Beech 18 in. dia.

40.00 set of sec. post from which
 a Beech 7 in. diameter N 12 W 7 lbs. dist. &
 a Do 16 " " " S 42 E 25 " "

64.82 a Hickory 20 " "

50.00 set post cor. of sec. 13 & 24 from which
 a Beech 16 in. diameter N 76 E 28 lbs. dist. &
 an Ash 8 " " " S 32 W 7 " "
 Good farming land, Beech, Ash, Elm, Sugar, Hickory,
 Oak & Upr. Spice & same kind of timber

North on the E. Boundary of Sec. 13, T. 16 N., R. 5 E
 11.20 an Elm 30 in. dia.

40.00 set of sec. post from which
 an Ironwood 6 in. diameter N 57 E 7 lbs. dist. &
 a B. Oak 20 " " " S 44 W 24 " "

68.74 a W. Ash 30 " "

80.00 set post cor. of sec. 12 & 13 from which
 a Buckeye 10 in. diameter S 56 W 31 lbs. dist. &
 an Elm 16 " " " N 12 E 9 " "
 Level & rate land, Beech, W. Ash, Elm, Oak,
 Hickory, Buckeye, Sugar & Upr. the same kind
 of timber & Spice

North on the E. Boundary of Sec. 12, T. 16 N., R. 5 E
 38.17 a Maple 14 in. dia.

T. 16 N., R. 6 E. 2. Mer. Ind. a.

40.00 set q. sec. port from which

an Elm 18 in. dia. bears S 45° W 4 lbs. dist. 8

a Maple 6 " " " S 27° E 13 " "

54.03 an Elm 30 " "

80.00 set port cor. of sec. 1 & 12 from which

a Beech 15 in. dia. bears S 71° E 17 lbs. dist. 8

a Do 14 " " " N 21° W 40 " "

Low wet land, Ash, Elm, Maple, Sycamore,
some Beech & Hickory; Upl. same kind

North on the E. Boundary of Sec. 1, T 16 N, R 6 E

38.36 a Hickory 18 in. dia.

40.00 set q. sec. port from which

a Beech 20 in. dia. bears S 57° W 29 lbs. dist. 8

a Do 18 " " " N 59° E 29 " "

60.48 a W. Oak 21 " "

77.00 Intersect Line of Correction 14.50 E. of port

cor. of sec. 35 & 36, T 17 N, R 5 E. & set port at in-

tersection cor. of T. 16 N, R. 5 & 6 E. from which

a Beech 10 in. dia. bears S 64° W 22 lbs. dist. 8

a Do 9 " " " N 7° E 13 " "

Level 2. rats land, Beech, Sugar, Ash, Elm,
Oak, Hickory, Spruce &Surveyed in 1879 by John M. Donald
Sur. Genl.

Subdivision. Var. 6. 30' E.

North between Sec. 35 & 36, T 16 N, R 6 E

30.28 a Beech 19 in. dia.

40.00 set q. sec. port from which

a Buckeye 10 in. dia. bears N 32° W 34 lbs. dist. 8

a Sugar 24 " " " S 60° E 21 " "

61.78 a Hickory 16 " "

80.00 set port cor. of sec. 25, 26, 35 & 36 from which

T. 16 N., R. 6 E. 2. Mer. Ind. a

a Beech 14 in. dia. bears N 17° W 15 lbs. dist. 8
 a gray Ash 24 " " " S 53° E 27 " "
 Level State land, timber Hickory, Beech, W. Oak,
 Bur Oak, Elm, Maple, Buckeye, Sugar, Spice, Ash &c.

East on Random between Sect. 25 & 36

40.00 set temp. g. sec. post

80.38 Intersect E. Boundary 2 lbs. S. of post

Level State land, timber Beech, Ash, Hickory, Elm,
 W, Bur & R. Oak, Sugar, Poplar, Ash &c. Upr.
 Spice, Ash, Hornbeam &c.

West Connected between Sect. 25 & 36

16.83 a Beech 13 in. dia.

40.19 set g. sec. post at aver. dist. from which
 a Beech 26 in. dia. bears N 34° E 20 lbs. dist. 18
 a Do 8 " " " S 5° E 9 " "

53.25 a Do 20 " "

80.38 to sec. cor.

North between Sect. 25 & 26

22.15 a Beech 20 in. dia.

40.00 set g. sec. post from which
 a gray Ash 12 in. dia. bears N 49° W 28 lbs. dist. 8,
 a Do 11 " " " S 69° E 15 " "

62.93 a Beech 24 " "

72.10 the channel of a Brook 10 lbs. wide runs NW & W

80.00 set post cor. of sect. 23, 24, 25 & 26 from which
 a Beech 18 in. dia. bears N 11° W 6 lbs. dist. 8,
 a Do 14 " " " S 21° E 25 " "

Rich level State land, timber Oak, Ash, Beech,
 Poplar, Sugar, Hickory, Elm, W. Oak, Buckeye,
 Walnut &c. Upr. Spice, Ash, Hornbeam &c.

T.M.V., R.C.E. L. Mer. Ind.^a

East on Random between Sect. 24 & 25

40.00 set temp. g. Sec. port

55.00 the channel of a Brook 6th. wide course S⁴W80.34 Intersect Co. Boundary 65th. S. of port—

Level rich 2^d rate land, timber Beech, Ash, Elm,
 Sugar, Hickory, Walnut, Poplar, Walnut, Poplar,
 W. Oak, Buckeye & V. Upr. Spice, Ash, Hornbeam &.

West Barometer between Sect. 24 & 25

22.58 a Grey Ash 32 in. dia.

40.17 set g. Sec. port at over. dist. from which

a Beech 18 in. discharges S 80° W 25th. dist. 8

a Do 24 " " " N 5 E 27 " "

58.76 a Do 16 " "

80.34 to Sec. cor.

North between Sect. 23 & 24

21.62 a Gray Ash 24 in. dia.

40.00 set g. Sec. port from which

a Beech 20 in. discharges N 71° W 14th. dist. 8

a Do 20 " " " N 75 E 25 " "

48.05 the channel of a Brook 6th. wide course W

59.75 " " " " " 6 " " " W 8 W

69.10 a White Walnut 16 in. dia.

73.70 the channel of a Brook 8th. wide course S⁴W

80.00 set port cor. g. Sec. 13, 14, 23 & 24 from which

a B. Walnut 15 in. discharges N 57° W 14th. dist. 8

a Beech 18 " " " S 81 E 27 " "

First $\frac{1}{2}$ mile level rich 2^d rate land; 2 $\frac{1}{2}$ mile
 broken 2^d rate land, timber Beech, Poplar, Ash,
 Sugar, Hickory, Walnut, W. Oak, Elm & V. Upr.
 Spice, Ash, Hornbeam &.

East on Random between Sect. 13 & 24

T. 16 N., R. 6 E. S. Mer. Ind.^a

40.00 set temp. g. sec. post

51.15 the channel of a Brook 8 lbs. wide course WSW

80.33 Intersect E. Boundary 144 lbs. S. of post -

Part level, part broken 2nd rate land, timber Beech,
Hickory, Ash, Walnut, W. Oak, R. Oak, Elm, Sugar,
Y. Ylg. Spice, Ash &c. Sept. 20. 1820

West connected between Sec. 13 & 24

18.71 a Beech 17 in. dia.

40.17 set g. sec. post at aver. dist from which
a Beech 6 in. dia bears S 47° W 34 lbs. dist 18
a Buckeye 10 " " " N 63° E 7 " "

58.61 a Cherry 13 " "

80.34 to sec. cor.

North between Sec. 13 & 14

16.25 a Sugar 28 in. dia.

40.00 set g. sec. post from which
a Beech 22 in. dia bears S 32° W 3 lbs. dist 18
a Do 14 " " " N 68° E 41 " "

59.64 a Sugar 28 " "

62.60 a Stream 40 lbs. wide course SSW

80.00 set post cor. of sec. 11, 12, 13 & 14 from which
a Beech 18 in. dia bears N 22° E 19 lbs. dist 18
a Do 20 " " " S 43° W 28 " "

Part level, part broken 2nd rate, Beech, Sugar, Ash,
Hickory, Elm, W & R. Oak, Walnut &c. Ylg. Spice,
Ash, Maple, Dogwood, Hornbeam &c.

East in Random between Sec. 12 & 13

7.50 a Stream 40 lbs. wide course SSW

13.40 the channel of a Brook 8 lbs. wide course N

40.00 set temp. g. sec. post

80.20 Intersect N. line 217 lbs. S. of post -

T. 16 N., R. 6 E., S. 1 Mer. Ind. a

Land 1st 1/2 mile broken, 2nd 1/2 mile level & rate, timber
 Beech, Sugar, Elm, Hickory, White Oak, Cherry, Walnut,
 Ash & V. Upr. Spice, Ironwood, Hornbeam &c.

West Corrected between Sec. 12 & 13

20.54 a Beech 14 in. dia.

40.10 set of sec. post at aver. dist from which
 a Sugar 34 in. dia. bears South 19 lbs. dist. 8
 a Beech 16 " " " N 51° W 14 " "

61.26 a Sugar 22 " "

80.23 to sec. cor.

North between Sec. 11 & 12

18.93 a W. Elm 50 in. dia.

31.00 a Pond 50 lbs. wide, extending from NW to SE

40.00 set of sec. post from which
 a Buckeye 12 in. dia. bears S 63° E 11 lbs. dist. 8
 a Hornbeam 6 " " " N 65° W 17 " "

52.50 a Pond 75 lbs. wide

64.96 a Hickory 18 in. dia.

80.00 set post cor. of sec. 1, 2, 11 & 12 from which
 a Blue Ash 5 in. dia. bears N 9° E 12 lbs. dist. 8

a Hickory 44 " " " S 23° W 20 " "

Level & rate land, timber Ash, Elm, Beech, Sugar,
 Hickory, Walnut, Sycamore, Poplar & V. Upr. Spice,
 Hazel, Pawpaw &c.

East on Random between Sec. 1 & 12

0.50 enter Buttonwood Swamp

8.00 leave Swamp

10.90 a Stream 40 lbs. wide course E & SE

35.00 a Buttonwood Swamp, offset 100 lbs. N.

38.50 reduced offset & fell into line

40.00 set temp. g. sec. post

T. 16 N., R. 6 E., 2^d Mer. Ind.^a

80.18 Intersect E. Boundary 267¹/₂ M. S. of post -
Part level, part broken 2^d & 3^d rate, timber W & R.
Oak, Beech, Ash, Hickory, Elm, Red Gum & Upr.
Spruce, Soywood, Junewood, Hornbeam &

West Connected between Sec. 1 & 12

19.53 a Beech 16 in. dia.

40.11 set g. sec. post at av. dist. from which
a R. Oak 24 in. dia. bears N 48° E 32 M. dist. 18
a Beech 16 " " " S 54° W 18 " "

54.10 a R. Oak 48 " "

80.22 to sec. cor.

North between Sec. 1 & 2

0.00 enter the E. end of small Prairie

9.00 leave same

17.50 a Beech 20 in. dia.

28.00 a rough impenetrable Prairie, offset 500 M. E.

40.00 set g. sec. post from which (400 M. E. of true line on
margin of Prairie)
a Beech 18 in. dia. bears S 78° E 19 M. dist. 18
an Iron P. 3 " " " N 42° W 25 " "

50.00 enter same Prairie while on offset

62.50 leave Prairie, enter timbered land, reduced offset
& fell into line

67.52 a Beech 16 in. dia.

73.00 a Buttonwood Swamp, offset 3.50 M. E

78.77 Intersect N. Boundary 150 M. E. of post -
set post at intersection cor. of sec. 1 & 2 from which
(Post on the margin of a Pond)

a Poplar 16 in. dia. bears S 54° W 2 M. dist. 18

a Blue Ash 6 " " " S 89° W 4 " "

Part level, part broken 2^d & 3^d rate land, timber
W. Oak, Beech, Ash, Hickory, Elm, Poplar &
Upr. Junewood, Hornbeam, Buttonwood, Willow &

T. 16 N., R. 6 E. 2. Mer. Ind. a

Sept. 21, 1820

North between Sec. 34 & 35

20.65 a Bur Oak 44 in. dia.

40.00 Set g. sec. port from which

a Beech 17 in. dia. bears N 15 E 18 lbs. dist. 13

a Do 7 " " " N 70 W 14 " "

68.12 a Hickory 24 " "

80.00 Set port cor. of Sec. 26, 27, 34 & 35 in the channel of a

Brook 8 lbs. wide course W N W. from which

a Beech 18 in. dia. bears N 35 E 13 lbs. dist. 13

a Hornbeam 7 " " " S 40 W 17 " "

Level 2. rate land, timber Beech, Hickory, Elm, W.
Oak, Ash, R. Oak, Poplar & Upr. Spice, Ash &c.

East on Random between Sec. 26 & 35

40.00 Set temp. g. sec. port

80.28 Intersect N. E. line 31 lbs. E. of port —

Level 2. rate land, timber Beech, Hickory, Elm,
W. Bur Oak, Sugar, Poplar, Ash, R. Oak & Upr.
Spice, Ash &c.

West Corrected between Sec. 26 & 35

19.46 a Poplar 48 in. dia.

40.14 Set g. sec. port at aver. dist. from which

a P. lynn 20 in. dia. bears S 34 W 16 lbs. dist. 13

a Spruce Ash 8 " " " N 38 E 25 " "

59.08 a Beech 20 " "

80.28 to Sec. cor.

North between Sec. 26 & 27

22.50 a Stream 50 lbs. wide course S S W

25.16 a Beech 28 in. dia.

40.00 Set g. sec. port from which

T. 16 N., R. 6 E. 2. Mer. Ind. a

a Beech 19 in. dia. bears N44 W 15 lbs. dist. 3
 a W. Elm 30 " " " S75 E 6 " "
 62.54 a Beech 28 " "
 80.00 set port cor. of sec. 22, 23, 26 & 27 on a Beech 18 in. dia.
 from which
 a Beech 14 in. dia. bears S78 E 15 lbs. dist. 3
 a Sugar 30 " " " N64 W 27 " "
 Part level, part broken 2 & 3 rate land, timber
 Beech, Ash, Sugar, Poplar, Hickory, W. Oak, Elm
 & W. Y. Spice, Pawpaw, Ironwood, Hornbeam &c.

East on Random between Sec. 23 & 26

40.00 set temp. g. sec. port

44.50 a Stream 50 lbs. wide course S W

80.16 Intersect N. S. line 20 lbs. E. of port—

Level 2 rate land, timber Beech, Ash, Poplar, Elm,
 W. Oak, Sugar, Elm & W. Y. Spice, Ash, Buckeye,
 Ironwood, Hornbeam &c.

West Connected between Sec. 23 & 26

21.04 a Beech 20 in. dia.

40.08 set g. sec. port at aver. dist from which

a Buckeye 8 in. dia. bears N45 E 13 lbs. dist. 3
 a Hornbeam 5 " " " S16 E 12 " "

58.71 a Beech 17 " "

80.16 to sec. cor.

North between Sec. 22 & 23

23.00 the channel of a Brook 8 lbs. wide course S S W

23.76 a W. Elm 24 in. dia.

40.00 set g. sec. port from which

Quaking Aspen 6 in. dia. bears N10 W 8 lbs. dist. 3

a W. Elm 10 " " " S55 E 14 " "

64.50 a W. Elm 18 " "

T. 16 N., R. 6 E., S. 1 Mer. Ind.?

80.00 set port cor. of sec. 14, 15, 22 & 23 from which
 a Hornbeam 4 in. dia bears N 46° W 6 1/2 Ms. dist. 8
 a Do 6 " " " S 24° E 12 " "
 Level Prate land, timber Ash, Beech, Bur Oak,
 W. Oak, Hickory, Walnut, Elm, Quaking Aspen,
 Sugar & Wgs. Spice, ~~Plumb~~ Plumbush, Shoemaker,
 Ironwood, Hornbeam &c.

East on Random between Sec. 14 & 23

40.00 set temp. g. sec. port

55.00 a Stream 50 Ms. wide course S

79.98 Intersect N. Line 20 Ms. E. of port -

Land level, part broken Prate land, timber Beech,
 Hickory, Ash, Elm, Sugar, W. Oak, Walnut, Cherry
 &c. Wgs. Spice, Dogwood, Ironwood, Ash &c.

West Connected between Sec. 14 & 23

18.48 a Beech 18 in. dia.

39.99 set g. sec. port at aver. dist from which
 a Beech 16 in. dia bears N 39° E 27 Ms. dist. 8
 a R. Elm 18 " " " S 61° W 19 " "

62.10 a Beech 24 " "

79.98 to sec. cor. September 22, 1820

North between Sec. 14 & 15

24.82 a Beech 19 in. dia.

40.00 set g. sec. port from which
 a Bur Oak 30 in. dia bears N 13° E 17 Ms. dist. 8
 a Beech 17 " " " S 68° W 10 " "

58.10 a Do 24 " "

80.00 set port cor. of sec. 10, 11, 14 & 15 from which
 a Beech 18 in. dia bears N 41° W 20 Ms. dist. 8
 a Hickory 36 " " " S 56° E 28 " "
 Level Prate land, timber Beech, Ash, Sugar

T. 10 N., R. 6 E. 2. Mer. Ind. a

Hickory, Bur Oak, Elm, Lym, Poplar & Ulp.
Spice, Ash &c

East on Random between Sec. 11 & 14

40.00 set temp. g. sec. post

50.20 the channel of a stream 120 yds. wide course ESE

62.75 the same stream course ENE

66.00 " " " " ESE

80.00 returned to S. line 19 yds. E. of post -

Part level, part broken & rate land, timber

Beech, Ash, Hickory, Bur Oak, W. Oak, Sugar,
Elm & Ulp. Spice, Dogwood, Juniper, Hornbeam &c

West Barred between Sec. 11 & 14

23.65 a Beech 20 in. dia.

40.00 set g. sec. post at over dirt, from which
a Gray Ash 24 in. dia. bears S 20° E 7 yds. dirt &
a Beech 24 " " " N 27° W 9 " "

54.03 a Do 18 " "

80.00 to Sec. cor.

North between Sec. 10 & 11

25.75 a Bur Oak 32 in. dia.

40.00 set g. sec. post from which
a Sugar 14 in. dia. bears N 27° E 16 yds. dirt &
a B. Ash 12 " " " S 20° W 38 " "

59.44 a Sugar 22 " "

74.00 the channel of a Brook 10 yds. wide course SE

80.00 set post cor. of sec. 2, 3, 10 & 11 from which
a Beech 15 in. dia. bears N 35° W 13 yds. dirt &

a Gray Ash 5 " " " S 79° E 13 " "

Level & rate land, timbered Beech, Hickory, Bur Oak,
Bur Oak & Ulp. Spice, P. Ash, Hazel, Juniper &c

T. H. N., R. C. O. Diller, Ind. a

East on Random between Sect. 2d & 11

40.00 Set temp. g. sec. port

79.94 Intersect N. S. line & W. S. of ports -

Level 2. rate land, timber Beech, Ash, Elm,
Sugar, Poplar, Hickory, Ash, W. Oak, Bur Oak
& W. Spruce, Juniper &c.

West Corrected between Sect. 2d & 11

19.76 a Hickory 22 in. dia.

39.97 Set g. sec. port at aver. dist from which
a Beech 20 in. dia. bears S 76° 17' W. dist 8
a Do 14 " " " N 29° 26' " "

58.81 a Spruce 40 " "

79.94 to sec. cor.

North between Sect. 2d & 3

19.94 a W. Elm 22 in. dia.

40.00 Set g. sec. port from which
a Beech 13 in. dia. bears N 33° 21' W. dist 8
a Do 14 " " " N 81° 17' " "

50.34 a W. Elm 36 " "

78.00 Intersect N. Boundary or Correction line Set
port cor. of sect. 2d & 3 from which
a W. Elm 26 in. dia. bears S 75° 41' W. dist 8
a Maple 30 " " " S 41° 23' " "
Level 2. rate land, timber Elm, Ash, Maple,
Beech, Hickory, Bur Oak, Sugar W. Oak &c.
W. Spr. P. Ash, Spruce, Juniper &c. Sept. 23. 1820

North between Sect. 33d & 34

1.20 the channel of a Brook 60 ft. wide course SE

20.55 a W. Elm 36 in. dia.

30.00 the channel of a Stream 12 ft. wide course ESE

40.00 Set g. sec. port from which

T. 16 N., R. 6 E., S. 1 Mer. Ind. a

	<p>a Beech 19 in. dia. bears N 7 E 11 lbs. dist. 8</p> <p>a Do 14 " " " S 56 W 13 " "</p> <p>69.82 a Poplar 30 " "</p> <p>80.00 set part cor. of sec. 27, 28, 33 & 34 from which</p> <p>a Beech 14 in. dia. bears N 72 W 25 lbs. dist. 8</p> <p>a Do 24 " " " S 60 E 38 " "</p> <p>Level Prato land, timber Beech, Ash, Poplar, Sugar, Hickory, Elm, Walnut & Upr. Spice, Ash, Hornbeam, Junewood &c.</p>
	<p>East on Random between Sec. 27 & 34</p> <p>36.90 a Stream 50 lbs. wide course S 5 W</p> <p>40.00 set temp. of sec. part</p> <p>80.13 Intersect N. H. line 23 lbs. E. of part —</p> <p>Part level, part rolling rich Prato land, timber Ash, Beech, Sugar, Elm, Walnut, Cherry, Poplar, & Upr. Spice, Ash &c.</p>
	<p>West Connected between Sec. 27 & 34</p> <p>18.42 a Beech 20 in. dia.</p> <p>40.01 set of sec. part at aver. dist. from which</p> <p>a Buckeye 17 in. dia. bears S 30 W 18 lbs. dist. 8</p> <p>a W. Elm 17 " " " N 27 W 19 " "</p> <p>59.07 a Cherry 18 " "</p> <p>80.03 to Sec. cor.</p>
	<p>North between Sec. 27 & 28</p> <p>17.23 a R. Oak 24 in. dia.</p> <p>40.00 set of sec. part from which</p> <p>a B. Walnut 18 in. dia. bears S 45 W 3 lbs. dist. 8</p> <p>a Beech 6 " " " N 42 E 13 " "</p> <p>56.24 a Do 22 " "</p> <p>80.00 set part cor. of sec. 21, 22, 27 & 28 from which</p> <p>a B. Ash 12 in. dia. bears N 30 W 8 lbs. dist. 8</p>

T. 16 E. R. 6 E. S. Mer. Ind. a

a B. Ash 10 in. dia bears S 9 E 10 W. dist.

Level Prate land, timber Beech, Hickory, Boxgray
Ash, Elm, R. W. Oak, Walnut, Cherry, Ash &
Upr. Spice, Ash, Ironwood, Hornbeam, Plumbush &

East on Random between Sec. 22 & 27

40.00 set temp. g. sec. post

71.50 the channel of a stream 12 W. wide corner S E

80.13 Intersect N 4 S line 9 W. S. of post —

Level Prate land, timber Beech, Ash, Elm, Sugar,
Walnut, W. R. Oak, Hickory & Upr. Spice, Maple,
Plumbush, Crab Apple &

West Corrected between Sec. 22 & 27

6.43 a Beech 22 in. dia

40.06 set g. sec. post at aver. dist from which
a Buckeye 14 in. dia bears N 51 W 15 W. dist. 2,
a Hickory 7 " " S 16 E 12 " "

54.43 a W. Elm 9 " "

80.13 to sec. cor.

North between Sec. 21 & 22

27.90 a R. Oak 16 in. dia

40.00 set g. sec. post from which
a R. Oak 5 in. dia bears N 48 W 14 W. dist. 2,
a Beech 18 " " S 50 E 27 " "

60.50 a Do 22 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which
a Beech 22 in. dia bears N 30 E 51 W. dist. 2,
a Do 10 " " S 70 W 17 " "

Level Prate land, timber Beech, Ash, Hickory,
Elm, W. R. Oak, Sugar, Bur Oak & Upr. Spice,
Ironwood, Hornbeam, Prickly Ash &

T. 16 N. — R. 6 E. 2. Mer. Ind. a

East on Random between Sec. 15 & 22

40.00 set temp. g. sec. port

79.98 Intersect N. S. line 11 hrs. N. of port —

Level 2^d rate land, timber Beech, Ash, Elm, Bur Oak,
Hickory, W. R. Oak, Sugar & W. Spruce, Ash &c.

September 25, 1820

West Connected between Sec. 15 & 22

21.73 a Beech 30 in. dia.

39.99 set g. sec. port at aver. dist from which

a Bur Oak 18 in. dia. bears N 60 E 5 hrs. dist. 8,

a Beech 22 " " " S 47 W 28 " "

59.18 a Bur Oak 48 " "

79.98 to sec. cor.

North between Sec. 15 & 16

16.85 an Ash 20 in. dia.

40.00 set g. sec. port from which

a W. Elm 18 in. dia. bears N 34 W 18 hrs. dist. 8,

a Do 18 " " " S 62 E 25 " "

61.95 a Hickory 18 " "

80.00 set port cor. of sec. 9, 10, 15 & 16 from which

a Beech 13 in. dia. bears N 16 E 23 hrs. dist. 8,

a Do 22 " " " S 60 W 25 " "

Level 2^d rate land, timber Beech, Ash, Elm,Bur, W. R. Oak, Hickory, Sugar & W. Spruce,
Ash &c.

East on Random between Sec. 10 & 15

40.00 set temp. g. sec. port

80.12 Intersect N. S. line 24 hrs. N. of port —

Level 2^d rate land, timber Ash, Beech, Hickory,
W. R. Oak, Elm, Sugar, Spruce & W. Spruce, Ash &c.

West Connected between Sec. 10 & 15

T.M.N., R. C. E. I. Mer. Ind.^a

21.12 a Beech 30 in. dia.

40.06 Set g. sec. post at aver. dist. from which
a Hickory 28 in. dia bears N10°W 5 lbs. dist. 3
a Do 13 " " " S38°W 10 " "

52.77 a Beech 20 " "

80.12 to sec. cor.

North between Sed. 9 & 10

23.90 a Beech 15 in. dia.

40.00 Set g. sec. post from which
a W. Elm 18 in. dia bears N34°W 18 lbs. dist. 3
a Do 18 " " " S62°E 25 " "

61.95 a Hickory 18 " "

80.00 Set post cor. of sed. 3, 4, 9 & 10 from which
a Beech 24 in. dia bears S70°W 30 lbs. dist. 3
a Sugar 16 " " " N71°E 26 " "
Level 2nd rate land, timber Beech, Hickory, Ash,
W. R. Oak, Poplar, Elm & Upr. Spice, Ash &

East on Randon between Sed. 3 & 10

40.00 Set temp. g. sec. post

76.50 the channel of a Brook 8 lbs. wide course SE

80.09 Intersect N. & S. line 37 lbs. N. of post —
Level 2nd rate land, timber Beech, Ash, Elm,
Burr R. Oak, Sugar, Hickory, W. Oak, Lyrus &
Upr. Spice, Ash, Hornbeam, Junewood &

West bounded between Sed. 3 & 10

24.44 a R. Oak 36 in. dia.

40.04 Set g. sec. post at aver. dist. from which
a W. Elm 18 in. dia bears N34°E 14 lbs. dist. 3
a Beech 8 " " " S62°W 10 " "

58.89 a R. Oak 34 " "

80.09 to sec. cor.

T. N. N., R. O. E. L. Mer. Ind. a

North between Sec. 3 & 4

18.10 a Poplar 48 in. dia.

40.00 set of sec. post from which

a R. Oak 34 in. dia. bears N 18 E 24 lbs. dist. 8,

a W. Elm 14 " " " S 39 W 25 " "

60.94 a Beech 15 " "

76.84 Intersect N. Boundary set post on Correction
Line, cor. of Sec. 3 & 4 from which

a Beech 22 in. dia. bears S 18 W 10 lbs. dist. 8,

a Do 19 " " " S 46 E 9 " "

Level 2^d rate land, timber Ash, Beech, Elm,
W & R. Oak, Poplar, Hickory, Sugar & Wgs.
Spice, Ash &c. September 26, 1820

North between Sec. 32 & 33

23.00 a R. Oak 44 in. dia.

40.00 set of sec. post from which

a Hickory 23 in. dia. bears S 24 E 2 lbs. dist. 8,

a Beech 12 " " " N 19 W 8 " "

61.56 a Do 20 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which

a Gray Ash 16 in. dia. bears N 17 W 15 lbs. dist. 8,

a W. Elm 10 " " " S 69 E 14 " "

Level 2^d rate land, timber Beech, Ash, Elm, W &
R. Oak, Sugar, Hickory &c. Wgs. Spice, Dogwood, Ash &c.

East on Random between Sec. 28 & 33

40.00 set temp. g. sec. post

57.60 the channel of a stream 12 lbs. wide corner to

80.40 Intersect N. S. line 68 lbs. S. of post -

Level 2^d rate land, timber Beech, Ash, Elm,
W & R. Oak, Hickory &c. Wgs. Spice, Ash, Hornbeam &c.

West Connected between Sec. 28 & 33

T. H. N., R. O. E. 2. Mer. Ind. a

18.74 a Hickory 24 in. dia
 40.20 set of sec. part at aver. dist. from which
 a Beech 15 in. dia bears N 87 W 6 lbs. dist. 8
 a Do 17 " " " S 187 W 16 " "
 60.00 a Do 18 " "
 80.40 to sec. cor.

North between Sec. 28 & 29
 19.08 a W. Oak 14 in. dia.
 40.00 set of sec. part from which
 a R. Oak 17 in. dia bears S 34 E 17 lbs. dist. 8,
 a Sugar 5 " " " N 48 W 12 " "
 60.54 a Beech 20 " "
 80.00 set part cor. of sec. 20, 21, 28 & 29 from which
 a Beech 14 in. dia bears N 18 W 22 lbs. dist. 8
 a Sugar 20 " " " S 48 E 29 " "
 Level Prato land, timber Ash, Beech, Elm,
 R. Oak, Walnut, Sugar, Hickory & Wyr.
 Spice, Sumwood Hornbeam &.

East in Raudon between Sec. 21 & 28
 40.00 set temp. of sec. part
 80.28 Intersect N & S. line 50 lbs. Support —
 Level Prato land, timber Ash, Elm, Beech,
 Burr Oak, Spruce, Cottonwood, Ash, Sugar, Wal-
 nut & Wyr. Spice, Ash, Hornbeam, Sumwood,
 Crab Apple &.

West Connected between Sec. 21 & 28
 20.40 a Gray Ash 16 in. dia.
 40.14 set of sec. part at aver. dist. from which
 a Poplar 18 in. dia bears N 63 E 6 lbs. dist. 8
 a Beech 12 " " " S 77 W 15 " "
 61.04 a Do 22 " "

T. 16 N., R. 6 E. 2. Mer. Ind. a.

80.28 to sec. cor.

North between Sec. 20 & 21

22.94 a W. Elm 26 in. dia.

40.00 set of sec. post from which

a Sugar 16 in. dia bears N 27° W 19 lbs. dist. 18

a Gum 14 " " " S 61° E 16 " "

57.92 a W. Elm 22 " "

80.00 set post cor. of sec. 16, 17 & 20 & 21 from which

a Hickory 20 in. dia bears N 21° W 43 lbs. dist. 8

a Beech 18 " " " S 89° E 14 " "

Level State land, timber Beech, Ash, Elm, Hickory,
Sugar, W. P. Oak, Poplar, Bur Oak & Upr. Spice,
Ash, Ironwood &c.

East on Random between Sec. 16 & 21

40.00 set temp. of sec. post

80.14 Intersect. N & S. line 47 lbs. S. of post—

Level State land, timber Beech, Hickory, W. P. Oak,

Oak, Elm, Poplar, Sugar, Ash & Upr. Spice, Ash,
Ironwood, Hornbeam &c. September 27. 1820

West Connected between Sec. 16 & 21

21.60 a Hickory 18 in. dia.

40.07 set of sec. post at aver. dist. from which

a Beech 17 in. dia bears N 31° E 8 lbs. dist. 18

a Do 14 " " " S 28° W 20 " "

59.27 a Do 16 " "

80.14 to sec. cor.

North between Sec. 16 & 17

19.82 a Beech 12 in. dia.

40.00 set of sec. post from which

a Beech 16 in. dia bears N 46° W 1 lb. dist. 18

T. 16 N., R. 6 E., 2^d Mer. Ind. a

a Beech 13 in. dia. diam N 35 E 14 lbs. dia.

61.50 a Do 18 " "

80.00 set post cen. of Sect. 8, 9, 16 & 17 from which

a Beech 14 in. dia. diam N 42 W 11 lbs. dia. &

a Do 10 " " " N 73 E 21 " "

Land level 2^d rate, timber Beech, large W. Oak,
Oak, Sugar, Elm, Hickory, Poplar, Gum & Upr.
Spice, Ironwood, Hornbeam, Ash &

East on Random between Sect. 9 & 16

40.00 set temp. of sec. post

79.88 Intersect N & S. line 28 lbs. N. of post -

Level 2^d rate land, timber Beech, Hickory, W. Oak,
Ash, Elm, R. Oak, Sugar, Poplar, Gum & Upr. Spice,
Ash, Hornbeam, Ironwood &

West Corner between Sect. 9 & 16

20.25 a W. Oak 44 in. dia.

39.94 set of sec. post at aver. dia. from which

a W. Elm 14 in. dia. diam N 60 W 10 lbs. dia. &

a Do 20 " " " S 30 E 27 " "

57.45 a Beech 18 " "

79.88 to sec. cen.

North between Sect. 8 & 9

22.12 a Beech 17 in. dia.

40.00 set of sec. post from which

a Beech 20 in. dia. diam N 25 W 36 lbs. dia. &

a Do 12 " " " S 43 E 34 " "

68.82 a Do 17 " "

80.00 set post cen. of Sect. 4, 5, 8 & 9 from which

a Beech 8 in. dia. diam N 55 W 20 lbs. dia. &

a Do 12 " " " S 73 E 21 " "

Level 2^d rate land, timber Beech, Hickory, large

T. 16 N., R. 6 E. 2. Mer. Ind. ^a

W & R. Oak, Sugar, Elm, Bur Oak, Lynn & Upr.
Spice, Ironwood, Hornbeam, Ash &

East on Random between Sect. 4 & 9

40.00 set temp. of sec. part

79.65 Intersect N. S. line H 3 lbs. S. of part —
Level 2. rate land, timber Beech, Hickory, W. R. & Bur
Oak, Ash, Elm, Sugar, Lynn & Upr. Spice, Ironwood,
Hornbeam, Ash &

West Corrected between Sect. 4 & 9

21.00 a B. Ash 18 in. dia.

39.82 set of sec. part at aver. dist. from which
a B. Ash 20 in. dia. bears S 20 W 22 lbs. dist. 8
a Hickory 30 " " " N 8 W 28 " "

57.55 a Beech 18 " "

79.65 to sec. cor.

North between Sect. 4 & 5

19.62 a Hickory 20 in. dia.

40.00 set of sec. part from which

a Bur Oak 6 in. dia. bears N 26 W 25 lbs. dist. 8,

a Do 18 " " " S 30 E 18 " "

60.05 a Gray Ash 25 " "

77.27 Intersect N. Boundary & set part on Correction Line,
cor. of sect. 4 & 5 from which

a R. Oak 4 in. dia. bears S 35 E 17 lbs. dist. 8

a Bur Oak 12 " " " S 60 W 18 " "

Level 2. rate land, timber Beech, Hickory, Ash,
Elm, Maple, Bur, W & R. Oak, Sugar, Lynn & Upr.
Upr. Spice, Ironwood, Hornbeam, Ash & Sept. 28, 1820

North between Sect. 31 & 32

24.61 a Beech 22 in. dia.

T. 16 N., R. 6 E., L. Mer. Ind. ^a

40.00 set g. sec. post from which

a R. Oak 22 in. dia. leans N 15 E 18 lbs. dist. 8

a W. Oak 18 " " " S 38 W 2 " "

70.60 a Gray Ash 24 " "

80.00 Set post cor. of sec. 29, 30, 31 & 32 from which

a W. Elm 22 in. dia. leans S 63 W 6 lbs. dist. 8

a Bur Oak 7 " " " N 47 E 27 " "

Level 2nd to land, timber Elm, Ash, Beech, W,

R & Bur Oak, Cherry, Walnut, Sycamore, Maple,

Sugar, Cottonwood, Poplar & Upr. Spice, Ash,

Ironwood, Hornbeam &c.

Cont on Random between Sec. 29 & 32

2.00 enters a large Maple Swamp

20.00 cut S. end of a large rough Prairie

29.00 leave swampy land

40.00 set temp. g. sec. post

80.48 Intersect NE. line 14 lbs. S. of post —

Level inferior 2nd to land, timber Ash, Elm,

Maple, Gum, Bur. Oak, Sycamore, Hickory, &c.

Upr. Hazel, Buttonwood, Willow &c.

West Connected between Sec. 29 & 32

15.33 a Gum 18 in. dia.

40.24 Set g. sec. post at area. dist. from which

a W. Oak 16 in. dia. leans N 75 W 10 lbs. dist. 28

a Gray Ash 13 " " " S 26 E 15 " "

58.68 a Do 24 " "

80.48 to sec. cor.

West between Sec. 30 & 31

19.48 a W. Elm 30 in. dia.

40.00 set g. sec. post from which

a Beech 15 in. dia. leans S 25 W 7 lbs. dist. 8

T.N.V., R.O.E. I. Mer. Ind. a

a Beech 18 in. dia. 14 lbs. dist.

57.78 a Gray Ash 20 s s

74.70 Entered W. Boundary 36 lbs. N. of port -

set port at intersection cr. of sec. 30 & 31 from which
a Beech 12 in. dia. 34 lbs. dist.

a Gray Ash 18 s s s N 47 E 28 s s

Level Prato land, timber Beech, Ash, Elm, W. R.
Oak, Hickory, Poplar, Sugar, Gum & Upr. Spice,
Juniper, Hornbeam &c.

North between Sec. 29 & 30

1.50 enter a Maple Swamp

17.00 leave Swamp

27.00 a W. Elm 28 in. dia.

40.00 set g. sec. port from which

a Beech 14 in. dia. 27 lbs. dist.

a Do 18 s s s S 20 W 16 s s

63.54 a Sugar 24 s s

80.00 set port cr. of sec. 19, 20, 29 & 30 from which

a Sugar 20 in. dia. 25 lbs. dist.

a Beech 24 s s s S 80 E 23 s s

Level Prato land, timber Beech, Ash, Elm, Sugar,
Hickory, W. R. Oak, Poplar & Upr. Spice, Ash,
Buttonwood &c.

East on Random between Sec. 20 & 29

40.00 set temp. g. sec. port

80.63 Entered N. S. line 8 lbs. N. of port -

Level Prato land, timber Beech, Ash, Sugar, Elm,
Hickory, Gum, R. Oak, Poplar & Upr. Spice, Ash &c.

West Connected between Sec. 20 & 29

19.56 a W. Elm 24 in. dia.

40.31 set g. sec. port at aver. dist. from which

T. H. N., R. O. E., L. Mer. Ind. a

a Burr Oak 6 in. dia. diam S 35° W 25 lbs. dist. 8
 a Beech 18 " " " N 7° E 27 " "
 62.53 a W. Elm 21 " "
 80.63 to sec. cor.

West between Sec. 19 & 30
 19.78 a B. Walnut 18 in. dia.
 40.00 set g. sec. part from which
 a Poplar 14 in. dia. diam S 51° E 7 lbs. dist. 8
 a Do 18 " " " N 13° W 22 " "
 58.96 a Beech 20 " "
 74.35 intersect W. Boundary 23 lbs. N. of port -
 set port at intersection cor. of Sec. 19 & 30 from which
 a B. Ash 24 in. dia. diam S 42° E 10 lbs. dist. 8
 a Gray Ash 20 " " " N 66° E 28 " "
 Land level 2^d rate, timber Beech, Ash, Elm, Poplar,
 Sugar, Walnut, Buckeye, R. Oak & Upr. Spice, Ash,
 Hornbeam &c.

North between Sec. 19 & 20
 24.32 a Gray Ash 22 in. dia.
 40.00 set g. sec. part from which
 a Beech 23 in. dia. diam N 40° W 8 lbs. dist. 8
 a Do 12 " " " N 69° E 9 " "
 65.55 a Do 18 " "
 69.00 the channel of a stream 12 lbs. wide course W
 80.00 set port cor. of Sec. 17, 18, 19 & 20 from which
 a W. Elm 26 in. dia. diam N 77° W 12 lbs. dist. 8
 a Sugar 17 " " " S 64° E 10 " "
 Level 2^d rate land, timber Beech, Ash, Sugar, Elm,
 W. R. Oak, Hickory & Upr. Spice, Ash, Iron-
 wood, Hornbeam &c. September 29, 1820

East on Random between Sec. 17 & 20

T. 16 N., R. 6 E., T. 1 Mer. Ind. a

40.00 set temp. g. sec. point

80.76 Intersect N. & S. line at post -

Level Prater land, timber Ash, Beech, W. & R. Oak,
Elm, Sugar, Poplar & Alpr. Spice, Ash, Hornbeam &c.

West Connected between Sec. 17 & 20

18.32 a W. Elm 24 in. dia.

40.38 set g. sec. point at over dirt fence which
a Beech 17 in. dia. bears S 47° W 21 Mo. dist 28,
a Do 14 " " " N 51° W 28 " "

58.96 a Do 22 " "

80.76 to sec. cor.

West between Sec. 18 & 19

3.00 a Swamp - difficult of access - direction S Mo. N 60

14.00 leave Swamp & enter timber

21.12 a Beech 24 in. dia.

40.00 set g. sec. point from which
an Elm 12 in. dia. bears S 55° W 15 Mo. dist 28
a Beech 18 " " " N 25° E 12 " "

61.62 a R. Oak 28 " "

74.94 Intersect W. Boundary 47 Mo. N. of post -

set point at intersection cor. of sec. 18 & 19 from which
a Hickory 20 in. dia. bears S 72° E 13 Mo. dist 28

a Gray Ash 30 " " " N 15° E 8 " "

Level Prater land, timber Beech, Ash, large W. &
R. Oak, Hickory, Elm, Sugar, Maple, Willow &c.
Alpr. Spice, Ash, Buttonwood, Bramble &c.

North between Sec. 17 & 18

1.50 enter Swamp, alluded to above difficulty

16.50 leave Swamp

19.50 a W. Elm 26 in. dia.

40.00 set g. sec. point from which

T. 16 N., R. 6 E., T. 2. Mer. Ind. a

- a Beech 16 in. dia. bears N 67° W 23 lbs. dist. 8
 a Do 7 " " " S 62° E 21 " "
 57.16 a Spruce Ash 18 " "
 80.00 set post cor. of sec. 7, 8, 17 & 18 from which
 a Br. Ash 16 in. dia. bears N 44° W 11 lbs. dist. 8
 a Hornbeam 4 " " " S 87° E 13 " "
 Level 2^d rate land, timbered Ash, Elm, Beech, Bur,
 W & R. Oak, Hickory, Maple, Sugar, & W. Spice,
 Ash, Willow, Buttonwood, Bramble &c.

East in Random between Sec. 8 & 17

- 40.00 set temp. g. sec. post
 42.00 enter a Swamp, direction at right angles
 50.00 leave Swamp & enter timbered land
 80.63 Entered N. E. line of 9 lbs. N. of post—
 Level 2^d rate land, timbered Beech, Ash, Elm,
 Bur, W & R. Oak, Hickory, Sugar, &c.
 W. Spice, Ash, Willow, Buttonwood, Bramble &c.

West Corner between Sec. 8 & 17

- 20.30 a Beech 20 in. dia.
 40.31 set g. sec. post at aver. dist. from which
 a Beech 5 in. dia. bears N 66° W 16 lbs. dist. 8
 a Do 6 " " " S 85° E 13 " "
 63.97 a Do 19 " "
 80.63 to sec. cor.

West between Sec. 7 & 18

- 27.46 a Beech 20 in. dia.
 40.00 set g. sec. post from which
 a W. Elm 16 in. dia. bears N 39° W 6 lbs. dist. 8
 a R. Oak 15 " " " S 31° E 5 " "
 57.60 a W. Elm 32 " "
 74.78 Entered W. Boundary 50 lbs. N. of post—

T. H. N., R. C. E. 2^o Mer. Ind.^a

Set post at intersection cor. of sec. 7 & 18 from which
 an Ironwood 5 in. dia. bears N 25° W 200 yds. dist. 13
 a Beech 17 " " " S 54° E 29 " "

Level inferior State land, timber Ash, Elm, Bur Oak,
 Beech, Gum, Hickory, W. R. Oak & Upr. Spruce, Ash,
 Hornbeam, Ironwood &c.

North between Sec. 7 & 8

23.42 a W. Elm 18 in. dia.

40.00 Set of sec. post from which

a Beech 14 in. dia. bears N 57° E 70 yds. dist. 13

a Do 18 " " " S 40° W 25 " "

64.92 a Hickory 15 " "

80.00 Set post cor. of sec. 5, 6, 7 & 8 from which

a Sugar 20 in. dia. bears N 20° E 43 yds. dist. 13

a Beech 12 " " " S 69° W 24 " "

Level State land, timber Beech, Ash, Elm, Poplar, Sugar,
 W. R. Oak, Hickory & Upr. Spruce, Ash &c. Oct. 2. 1820

East on Raudon between Sec. 5 & 8

25.00 enters swampy land

40.00 Set temp. g. sec. post

80.52 Intersect. N. S. line 37 yds. N. of post -

Level State land, timber Beech, Ash, Hickory, Elm,
 Maple, Bur Oak, Sugar & Upr. Spruce, Ash, Ironwood,
 Buttonwood, Willow &c.

West Corrected between Sec. 5 & 8

16.50 a Beech 18 in. dia.

40.26 Set of sec. post at aver. dist. from which

a Gray Ash 14 in. dia. bears N 77° E 50 yds. dist. 13

a B. Ash 20 " " " S 4° W 18 " "

60.15 a Beech 19 " "

80.52 to sec. cor.

T. 16 N., R. 6 E. 2. Mer. Ind. a

West between Sec. 6 & 7

22.62 a Hickory 23 in. dia.

40.00 set of sec. post from which

a R. Oak 24 in. dia. bears S 73° W 14 lbs. dist. 3

a Beech 8 1/2 " " " N 58° E 29 " "

58.72 a W. Elm 24 " "

74.86 Intersect N. Boundary 58 lbs. N. of post -

set post at intersection on spec. 6 & 7 from which

a Beech 18 in. dia. bears S 76° E 27 lbs. dist. 3

a Buckeye 18 " " " N 28° E 45 " "

Level inferior 2. rate land, timber Elm, Beech,
 Burr, R & W. Oak, Hickory, Sycamore, Buckeye &
 Upr. Prickly Ash, Spice &

North between Sec. 5 & 6

19.50 enter open Prairie, the body of which lies E & NE

28.00 leave Prairie & enter timbered land

29.66 a Gray Ash 15 in. dia.

37.50 enter Swamp, the body of which is W

40.00 set of sec. post from which

a Gray Ash 5 in. dia. bears N 43° W 6 lbs. dist. 3

a B. Ash 5 " " " S 33° E 18 " "

59.50 leave Swamp

51.50 a Gray Ash 15 in. dia.

75.45 Intersect N. Boundary & set post at intersection
 on spec. 5 & 6 from which

a Sugar 22 in. dia. bears S 8° W 12 lbs. dist. 3

a Beech 22 " " " S 76° E 31 " "

Level 2. rate land, timber Ash, Elm, Hickory, Poplar,
 W. Oak, Sugar, Maple & Upr. Spice, Butternut,
 Bramble & October 3. 1820

Surveyed by Thomas Brown
 Dep. Surveyor.

I Certify that the foregoing transcript of field
Notes of Township N. 16. North, of Range N.
6 East 2.^d Principal Meridian Indiana, has
been Comp.^d with the Original Notes in this
Office, and found to be Correct.

Surveyor General's Office

Cincinnati, Aug. 25.th 1842

William Johnston

Sur. Genl.